



**German Chemical Society  
Gesellschaft Deutscher Chemiker**

GDCh-Advisory Committee  
on Existing Chemicals of  
Environmental Relevance (BUA)

**Liquefied petroleum gas (LPG)**  
(Propane, Butane, Isobutane  
and Mixtures)  
BUA Report 144  
(June 1994)



S. Hirzel

Wissenschaftliche Verlagsgesellschaft 1997

## GDCh-Advisory Committee on Existing Chemicals of Environmental Relevance (BUA)

### **Chairman:**

Prof. Dr. E. Bayer, Institut für Organische Chemie der Universität Tübingen

### **Members:**

Dr. G. Alfke, Mineralölwirtschaftsverband e. V., Hamburg

Prof. Dr. K. Ballschmiter, Abteilung Analytische Chemie und Umweltchemie der Universität Ulm

Dr. R. Bias, BASF AG, Emissionsüberwachung und Ökologie, Ludwigshafen a. Rh.

Dr. B. Broecker †, HOECHST AG, Abteilung Umweltchemikalien/Verbrauchersicherheit, Frankfurt am Main

Prof. Dr. O. Fränzle, Geographisches Institut der Universität Kiel

Prof. Dr. F. H. Frimmel, DVGW-Forschungsstelle am Engler-Bunte-Institut der Universität Karlsruhe

Prof. Dr. H.-P. Gelbke, BASF AG, Toxikologie, Ludwigshafen a. Rh.

Prof. Dr. H. Greim, GSF — Institut für Toxikologie, Neuherberg (Vice Chairman)

Dir. und Prof. Dr. J. Hahn, Institut für Wasser-, Boden- und Lufthygiene des Umweltbundesamtes, Berlin

Dr. H. Jungen, Deutsche Wissenschaftliche Gesellschaft für Erdöl, Erdgas und Kohle e. V., Hamburg

Dir. und Prof. Dr. D. Kayser, Bundesinstitut für gesundheitlichen Verbraucherschutz und Veterinärmedizin, Berlin

Dr. W. Mühlhölzl, Bayerische Landesanstalt für Wasserforschung, München

Prof. Dr. P. Müller, Institut für Biogeographie, Universität des Saarlandes, Saarbrücken

Dir. und Prof. Dr. E. Offhaus, Umweltbundesamt, Berlin

Dr. R. Ott, Deutsche Shell Chemie GmbH, Eschborn/Ts.

MinRat Prof. Dr. U. Schlottmann, Bundesministerium für Umwelt, Naturschutz und Reaktorsicherheit, Bonn

Dr. N. Schön, BAYER AG, Umweltschutz/Produktsicherheit, Leverkusen

Vizepräsident Dr. A. Troge, Umweltbundesamt, Berlin

### **Collaborators and Guests:**

Dr. K. H. Adlfinger, Initiative Umweltrelevante Altstoffe, Frankfurt am Main

Priv.-Doz. Dr. J. Ahlers, Fachgebiet IV 1.2 des Umweltbundesamtes, Berlin

Dipl.-Chem. F. Endres, Institut für Organische Chemie der Universität Tübingen

Dr. S. Ettel, Institut für Organische Chemie der Universität Tübingen

Dr. R. F. Hertel, Fachgruppe 821 des Bundesinstituts für gesundheitlichen Verbraucherschutz und Veterinärmedizin, Berlin

Dip.-Ing. S. H. Kägler, Buxtehude

Dr. J. Koppenhöfer, Institut für Organische Chemie der Universität Tübingen

Prof. Dr. R. Kümmel, Institut für Umwelt- und Sicherheitstechnik der Fraunhofer Management-Gesellschaft, Oberhausen

Frau Dr. I. Mangelsdorf, GSF - Institut für Toxikologie, Neuherberg

Dr. J. Oberhansberg, BG Chemie, Heidelberg

Frau Dr. I. Rengel, GSF - Institut für Toxikologie, Neuherberg

Frau Dr. H. Sterzl-Eckert, GSF - Institut für Toxikologie, Neuherberg

Dr. D. Vogel, Institut für Organische Chemie der Universität Tübingen

Frau Dipl.-Biol. L. Weis, Institut für Organische Chemie der Universität Tübingen

Frau Dr. K. Widmann, Institut für Organische Chemie der Universität Tübingen

### **GDCh Office:**

Dr. H. Behret, GDCh, Frankfurt am Main

# **Liquefied petroleum gas (LPG)**

(Propane, Butane, Isobutane  
and Mixtures)

BUA Report 144

(June 1994)

edited by the GDCh-Advisory  
Committee on Existing Chemicals  
of Environmental Relevance

Beratergremium für  
Umweltrelevante Altstoffe (BUA)



S. Hirzel

Wissenschaftliche Verlagsgesellschaft 1997

Dr. H. Behret  
Gesellschaft Deutscher Chemiker  
Postfach 90 04 40  
D-60444 Frankfurt am Main

Translated by R. Brown

This book was carefully produced. Nevertheless, authors, editors and publisher do not warrant the information contained therein to be free of errors. Readers are advised to keep in mind that statements, data, illustrations, procedural details or other items may inadvertently be inaccurate.

The use of general descriptive names, trade names, trademarks, etc. in a publication, even if not specifically identified, does not imply that these names are not protected by the relevant law and regulations.

Die Deutsche Bibliothek — CIP-Einheitsaufnahme

**Liquefied petroleum gas (LPG)** / by the GDCh Advisory Committee  
on Existing Chemicals of Environmental Relevance (BUA).

[Translated by R. Brown]. - (June 1994). — Stuttgart: Hirzel ;

Stuttgart : Wiss. Verl.-Ges., 1996

(BUA report; 144)

Dt. Ausg. u.d.T.: Flüssiggas

ISBN 3-7776-0723-1

NE: Brown, R. [Übers.]; Gesellschaft Deutscher Chemiker /

Beratergremium für Umweltrelevante Altstoffe: BUA report

All rights reserved. No part of this publication may be translated, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, microfilming, recording or otherwise, without permission in writing from the publisher.

© 1997 S. Hirzel Verlag, Birkenwaldstraße 44, 70191 Stuttgart

Printed in acid-free and low-chlorine paper.

Printing and binding: Druckhaus Beltz, Hemsbach  
Printed in F.R. Germany

## Foreword

The German Chemicals Act (Chemikaliengesetz - ChemG) of 1980 stipulates that certain existing chemicals must be reported to the competent authority, if they exhibit properties which indicate that they may be hazardous, either alone or in combination with other substances.

In the summer of 1982, an Advisory Committee on Existing Chemicals of Environmental Relevance (BUA) was set up by the German Chemical Society (Gesellschaft Deutscher Chemiker - GDCh). It brings together representatives from the scientific community, the chemical industry and the governmental authorities. This Advisory Committee is responsible for elaborating appropriate solutions for substances of relevance for health and the environment on the basis of voluntary measures. It selects and examines existing chemicals from the aforementioned angles. The testing and evaluation are based on scientific criteria alone.

It was, therefore, necessary to develop priority setting procedures. In a first phase reports were only prepared for priority chemicals. Within the framework of a first priority setting procedure, chemicals were compiled from several priority lists and 135 chemicals were selected for detailed substance reports.

In a second priority setting procedure the survey of the German Chemical Industry Association (VCI) on all substances with a production volume of more than 10 tons per year was used as a starting list. Since this survey covered 4,600 chemicals, BUA decided to process the corresponding list in several stages. The first stage included approx. 1,050 substances with a production volume of more than 1,000 tons per year.

Detailed reports are drawn up on chemicals suspected of having a hazard potential and abridged reports on those presenting only a minor hazard potential, according to the current state of knowledge.

The detailed BUA reports take in both the published literature and data from industry. If data for the evaluation of the chemicals are not available, additional studies are recommended and the results are published as updates to the reports. The reports serve as a basis for the instigation of administrative measures, when there are indications of risks to health or the environment.

Tübingen, May 1993

Ernst Bayer  
Chairman of the Advisory Committee  
on Existing Chemicals  
of Environmental Relevance

# Contents

<b>Summary and conclusions</b> .....	<b>XI</b>
<b>Recommendations</b> .....	<b>XVII</b>
<b>1 Chemistry of LPG</b> .....	<b>1</b>
1.1 Product description .....	1
1.2 Composition of the technical product .....	2
1.3 Chemical properties .....	5
<b>2 Physical properties</b> .....	<b>7</b>
<b>3 Analytical methods</b> .....	<b>11</b>
3.1 Analysis of LPG .....	11
3.2 Determination in air .....	16
3.3 Determination in water .....	19
3.4 Determination in soil .....	20
3.5 Determination in biological material .....	21
<b>4 Discharge into the environment via manufacture processing use and waste disposal</b> .....	<b>23</b>
4.1 Manufacture of liquefied petroleum gas .....	23
4.2 Production and consumption of LPG in the Federal Republic of Germany .....	26
4.2.1 Production .....	26
4.2.2 Consumption .....	29
4.3 Discharge into the environment .....	31
4.3.1 Discharge into the atmosphere .....	32
4.3.1.1 Emissions from production of crude oil and natural gas .....	33
4.3.1.2 Emissions from mineral-oil processing .....	35
4.3.1.3 Emissions during transfer and storage of gasoline .....	36
4.3.1.4 Emissions from refuelling of and evaporation from motor vehicles .....	38
4.3.1.5 Traffic exhaust gases .....	39
4.3.1.6 Industry .....	40
4.3.1.7 Households and small consumers .....	41
4.4 Discharge into the hydrosphere .....	41
4.5 Discharge into the geosphere .....	41
4.6 Discharge via waste and waste disposal .....	41
4.7 Summary of discharge into the environment .....	42

<b>5</b>	<b>Occurrence in the environment</b> .....	<b>43</b>
5.1	Atmosphere .....	43
5.1.1	Ambient air .....	43
5.1.2	The work place .....	46
5.2	Hydrosphere .....	47
5.3	Geosphere .....	47
5.4	Biosphere .....	47
5.5	Natural sources .....	47
<b>6</b>	<b>Behaviour in the environment</b> .....	<b>48</b>
6.1	Transformation, degradation and degradation products .....	48
6.1.1	Biodegradation .....	48
6.1.2	Hydrolytic degradation .....	48
6.1.3	Photochemical degradation .....	48
6.1.3.1	Photooxidative degradation in the troposphere .....	48
6.1.3.2	Photochemical degradation in water .....	49
6.2	Accumulation .....	49
6.2.1	Bioaccumulation .....	49
6.2.2	Geoaccumulation .....	49
6.3	Distribution behaviour and transport processes in and between environmental compartments .....	50
6.3.1	Henry constant .....	50
6.3.2	n-Octanol/water partition coefficient .....	50
6.3.3	Soil-sorption coefficients .....	50
6.4	Fate in the environment .....	51
<b>7</b>	<b>Ecotoxicity</b> .....	<b>52</b>
7.1	Effects on aquatic organisms (micro-organisms plants invertebrates vertebrates) .....	52
7.2	Effects on terrestrial organisms .....	52
7.2.1	Micro-organisms .....	52
7.2.2	Plants .....	53
7.2.3	Invertebrates .....	54
7.2.4	Vertebrates .....	54
7.3	Effect on ecosystems .....	54

<b>8</b>	<b>Toxicity to mammals</b> .....	<b>55</b>
8.1	General nature of effects .....	55
8.2	Mode of action .....	55
8.3	Metabolism and toxicokinetics .....	56
8.4	Acute toxicity .....	58
8.4.1	Propane .....	58
8.4.2	Isobutane .....	59
8.4.3	Butane .....	59
8.4.4	Unsaturated hydrocarbons .....	60
8.5	Skin and mucous membrane tolerance .....	60
8.6	Sensitizing .....	60
8.7	Subacute subchronic and chronic toxicity .....	60
8.8	Genotoxicity .....	61
8.8.1	Genotoxicity in vitro .....	61
8.8.2	Genotoxicity in vivo .....	61
8.9	Carcinogenicity .....	61
8.10	Reproduction toxicity .....	62
8.11	Miscellaneous effects - Unsaturated hydrocarbons .....	62
8.12	Experience in man .....	63
8.12.1	Acute intoxication .....	64
<b>9</b>	<b>Substance-specific legal regulations</b> .....	<b>66</b>
9.1	Gefahrstoffverordnung (Hazardous Substances Ordinance) .....	66
9.2	MAK value .....	66
9.3	Bundes-Immissionsschutzgesetz (Federal Law on Emissions) .....	67
9.4	Druckbehälterverordnung (Ordinance on Pressure Vessels) .....	68
9.5	Wasserhaushaltsgesetz (Water Conservation Act) .....	68
9.6	Transport regulations .....	69
9.7	Abfallgesetz (Waste Act) .....	69
<b>10</b>	<b>Literature</b> .....	<b>70</b>
<b>Appendix:</b>	.....	<b>83</b>
	Liquefied petroleum gases in the European Inventory of Existing Commercial Chemical Substances (EINECS)	