



German Chemical Society
Gesellschaft Deutscher Chemiker

GDCh-Advisory Committee
on Existing Chemicals of
Environmental Relevance (BUA)

Acrolein

BUA Report 157
(December 1994)



S. Hirzel

Wissenschaftliche Verlagsgesellschaft 1996

GDCh-Advisory Committee on Existing Chemicals of Environmental Relevance (BUA)

Chairman:

Prof. Dr. E. Bayer, Institut für Organische Chemie der Universität Tübingen

Members:

Dr. G. Alfke, Mineralölwirtschaftsverband e. V., Hamburg

Prof. Dr. K. Ballschmiter, Abteilung Analytische Chemie und Umweltchemie der Universität Ulm

Dr. R. Bias, BASF AG, Emissionsüberwachung und Ökologie, Ludwigshafen a. Rh.

Prof. Dr. O. Fränzle, Geographisches Institut der Universität Kiel

Prof. Dr. H.-P. Gelbke, BASF AG, Toxikologie, Ludwigshafen a. Rh.

Prof. Dr. H. Greim, GSF — Institut für Toxikologie, Neuherberg (Vice Chairman)

Dir. und Prof. Dr. J. Hahn, Institut für Wasser-, Boden- und Lufthygiene des Umweltbundesamtes, Berlin

Dr. H. Heÿn, HOECHST AG, Ressortgruppe Umwelt, Frankfurt am Main

Dr. H. Jungen, Deutsche Wissenschaftliche Gesellschaft für Erdöl, Erdgas und Kohle e. V., Hamburg

Dir. und Prof. Dr. D. Kayser, Bundesinstitut für gesundheitlichen Verbraucherschutz und Veterinärmedizin, Berlin

Dr. W. Mayr, DEGUSSA AG, Abteilung Umweltschutz/Industrielle Toxikologie, Hanau

Dr. W. Mühlhölzl, Bayerische Landesanstalt für Wasserforschung, München

Prof. Dr. P. Müller, Institut für Biogeographie, Universität des Saarlandes, Saarbrücken

Prof. Dr. R. Nagel, Institut für Hydrobiologie der Technischen Universität Dresden

Dir. und Prof. Dr. H. Neidhard, Umweltbundesamt, Berlin

MinRat Prof. Dr. U. Schlottmann, Bundesministerium für Umwelt, Naturschutz und Reaktorsicherheit, Bonn

Dr. N. Schön, BAYER AG, Umweltschutz/Produktsicherheit, Leverkusen

Vizepräsident Dr. A. Troge, Umweltbundesamt, Berlin

Collaborators and Guests:

Dr. K. H. Adlfinger, Initiative Umweltrelevante Altstoffe, Frankfurt am Main

Priv.-Doz. Dr. J. Ahlers, Fachgebiet IV 1.2 des Umweltbundesamtes, Berlin

Dr. A. Bartsch, GSF - Institut für Toxikologie, Neuherberg

Dipl.-Ing. T. Becher, DEGUSSA AG, Hanau-Wolfgang

Dr. U. von Clausbruch, Rosdorf

Dr. S. Ettel, Institut für Organische Chemie der Universität Tübingen

Dr. R.-U. Förster, Du Pont de Nemours GmbH, Bad Homburg

Prof. Dr. F. H. Frimmel, DVGW-Forschungsstelle am Engler-Bunte-Institut der Universität Karlsruhe

Dr. R. F. Hertel, Fachgruppe 821 des Bundesinstituts für gesundheitlichen Verbraucherschutz und Veterinärmedizin, Berlin

Frau Dr. S. Jacobi, DEGUSSA AG, Hanau-Wolfgang

Frau Dipl.-Biol. C. Jacobs, DEGUSSA AG, Hanau-Wolfgang

Dr. J. Koppenhöfer, Institut für Organische Chemie der Universität Tübingen

Frau Dr. I. Mangelsdorf, GSF - Institut für Toxikologie, Neuherberg

Dr. J. Oberhansberg, BG Chemie, Heidelberg

Dr. H. Piana, DEGUSSA AG, Hanau-Wolfgang

Frau Dr. H. Sterzl-Eckert, GSF - Institut für Toxikologie, Neuherberg

Dr. D. Vogel, Institut für Organische Chemie der Universität Tübingen

Frau Dipl.-Biol. L. Weis, Institut für Organische Chemie der Universität Tübingen

Frau Dr. K. Widmann, Institut für Organische Chemie der Universität Tübingen

GDCh Office:

Dr. H. Behret, GDCh, Frankfurt am Main

Acrolein

BUA Report 157
(December 1994)

edited by the GDCh-Advisory
Committee on Existing Chemicals
of Environmental Relevance

Beratergremium für
Umweltrelevante Altstoffe (BUA)



S. Hirzel

Wissenschaftliche Verlagsgesellschaft 1996

Dr. H. Behret
Gesellschaft Deutscher Chemiker
Postfach 90 04 40
D-60444 Frankfurt am Main

Translated by M.-J. Blümich

This book was carefully produced. Nevertheless, authors, editors and publisher do not warrant the information contained therein to be free of errors. Readers are advised to keep in mind that statements, data, illustrations, procedural details or other items may inadvertently be inaccurate.

The use of general descriptive names, trade names, trademarks, etc. in a publication, even if not specifically identified, does not imply that these names are not protected by the relevant law and regulations.

Die Deutsche Bibliothek — CIP-Einheitsaufnahme

Acrolein / GDCh Advisory Committee on Existing Chemicals
of Environmental Relevance (BUA). — (December 1994). —
Stuttgart: Hirzel ; Stuttgart : Wiss. Verl.-Ges., 1996
(BUA report; 157)
Dt. Ausg. u.d.T.: Acrolein
ISBN 3-7776-0712-2
NE: Gesellschaft Deutscher Chemiker / Beratergremium für
Umweltrelevante Altstoffe: BUA report

All rights reserved. No part of this publication may be translated, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, microfilming, recording or otherwise, without permission in writing from the publisher.

© 1996 S. Hirzel Verlag, Birkenwaldstraße 44, 70191 Stuttgart

Printed in acid-free and low-chlorine paper.

Printing and binding: Druckhaus Beltz, Hemsbach
Printed in F.R. Germany

Foreword

The German Chemicals Act (Chemikaliengesetz - ChemG) of 1980 stipulates that certain existing chemicals must be reported to the competent authority, if they exhibit properties which indicate that they may be hazardous, either alone or in combination with other substances.

In the summer of 1982, an Advisory Committee on Existing Chemicals of Environmental Relevance (BUA) was set up by the German Chemical Society (Gesellschaft Deutscher Chemiker - GDCh). It brings together representatives from the scientific community, the chemical industry and the governmental authorities. This Advisory Committee is responsible for elaborating appropriate solutions for substances of relevance for health and the environment on the basis of voluntary measures. It selects and examines existing chemicals from the aforementioned angles. The testing and evaluation are based on scientific criteria alone.

It was, therefore, necessary to develop priority setting procedures. In a first phase reports were only prepared for priority chemicals. Within the framework of a first priority setting procedure, chemicals were compiled from several priority lists and 135 chemicals were selected for detailed substance reports.

In a second priority setting procedure the survey of the German Chemical Industry Association (VCI) on all substances with a production volume of more than 10 tons per year was used as a starting list. Since this survey covered 4,600 chemicals, BUA decided to process the corresponding list in several stages. The first stage included approx. 1,050 substances with a production volume of more than 1,000 tons per year.

Detailed reports are drawn up on chemicals suspected of having a hazard potential and abridged reports on those presenting only a minor hazard potential, according to the current state of knowledge.

The detailed BUA reports take in both the published literature and data from industry. If data for the evaluation of the chemicals are not available, additional studies are recommended and the results are published as updates to the reports. The reports serve as a basis for the instigation of administrative measures, when there are indications of risks to health or the environment.

Tübingen, May 1993

Ernst Bayer
Chairman of the Advisory Committee
on Existing Chemicals
of Environmental Relevance

Contents

Summary and Conclusions..... .XI

Recommendations XVIII

Acrolein

(2-Propenal)

1.	Chemistry of Acrolein	1
1.1	Chemical Identity	1
1.2	Composition of the Technical-Grade Product	1
1.3	Chemical Properties	2
2.	Physical Properties	6
3.	Analysis	11
3.1	Determination in Air	11
3.2	Determination in Water	12
3.3	Determination in Soil, Sediment and Biological Material	13
4.	Emission into the Environment during Production, Processing, Use and Waste Disposal	18
4.1	Production Methods	18
4.2	Manufacturers and Processors, Production Quantities, Export, Import, Total Consumption	21
4.3	Processing, Use, Consumption Quantities	23
4.3.1	Processing	23
4.3.2	Use	24
4.4	Emission into the Atmosphere	25
4.4.1	Emission during Production and Processing	25
4.4.1.1	Emission during Production	25
4.4.1.2	Emission during Processing	26
4.4.2	Emission during Use	27

4.4.3	Emission from Other Areas	29
4.4.3.1	Formation of Acrolein during the Combustion of Fuels in Spark-Ignition and Diesel Engines	29
4.4.3.2	Formation of Acrolein during Tobacco Smoking	37
4.4.3.3	Formation of Acrolein during Combustion Processes and Other Formation Routes	40
4.5	Emission into the Hydrosphere	47
4.5.1	Emission during Production and Processing	47
4.5.1.1	Emission during Production	47
4.5.1.2	Emission during Processing	48
4.5.2	Emission during Use	49
4.6	Emission into the Geo and Biosphere	49
4.7	Emission through Wastes and Their Treatment	49
4.8	Balance of Emissions into the Environment	50
5.	Occurrence in the Environment	52
5.1	Atmosphere	52
5.1.1	Ambient Air	52
5.1.2	Workplace Air	55
5.2	Hydrosphere	56
5.3	Geosphere	57
5.4	Biosphere	57
5.5	Foodstuffs and Commodity Articles	58
5.6	Natural Sources	60
6.	Environmental Behavior	61
6.1	Degradability, Transformation	61
6.1.1	Biodegradability	61
6.1.2	Hydrolytic Degradation	64
6.1.3	Photochemical Degradation	66
6.1.3.1	Photochemical Degradation in Air	66
6.1.3.2	Photochemical Degradation in Water	72
6.2	Accumulation	72
6.2.1	Bioaccumulation	72
6.2.2	Geoaccumulation	73

6.3	Distribution Behavior and Transport Processes within and between Environmental Compartments	73
6.3.1	Henry's Law Constant	73
6.3.2	Octanol/Water Partition Coefficient	75
6.3.3	Soil Sorption Coefficients	75
6.3.4	Environmental Fate	76
7.	Ecotoxicology	78
7.1	Effects on Aquatic Organisms	78
7.1.1	Microorganisms	78
7.1.2	Plants	81
7.1.3	Invertebrates	86
7.1.4	Vertebrates	92
7.2	Effects on Terrestrial Organisms	101
7.2.1	Microorganisms	101
7.2.2	Plants	102
7.2.3	Invertebrates	102
7.2.4	Vertebrates	105
7.3	Effects on Ecosystems	105
8.	Toxicity in Warm-Blooded Organisms	106
8.1	General Effects	106
8.2	Mode of Action	107
8.3	Metabolism, Toxicokinetics	108
8.4	Acute Toxicity	113
8.4.1	Acute Toxic Effects	113
8.5	Skin and Mucous Membrane Tolerance	118
8.6	Sensitizing Effect	120
8.7	Subacute, Subchronic and Chronic Toxicity	120
8.7.1	Subacute Toxicity	120
8.7.2	Subchronic Toxicity	121
8.7.3	Chronic Toxicity	139
8.8	Genotoxicity	131
8.9	Carcinogenicity	151
8.10	Reproductive Toxicity	154
8.10.1	Fertility	155

8.10.2	Developmental Toxicity	156
8.11	Effects on the Immune System	158
8.12	Other Effects	159
8.13	Experiences with Humans	166
9.	Substance-Specific Legal Regulations	174
9.1	Hazardous Substance Regulation (GefStoffV)	174
9.2	Maximum Concentration in the Workplace (MAK-Value)	175
9.3	Regulation on Flammable Liquids (VbF)	175
9.4	Technical Guidelines-Air (TA-Luft)	175
9.5	Malfunction Regulation (Störfall-V)	175
9.6	Water Act	177
9.7	Regulations on the Transport of Dangerous Goods	177
9.8	Waste Act	179
10.	Literature	180