



**German Chemical Society
Gesellschaft Deutscher Chemiker**

GDCh-Advisory Committee
on Existing Chemicals of
Environmental Relevance (BUA)

Xylidines
(Dimethylanilines)
BUA Report 161
(June 1994)



S. Hirzel

Wissenschaftliche Verlagsgesellschaft 1997

GDCh-Advisory Committee on Existing Chemicals of Environmental Relevance (BUA)

Chairman:

Prof. Dr. E. Bayer, Institut für Organische Chemie der Universität Tübingen

Members:

Dr. G. Alfke, Mineralölwirtschaftsverband e. V., Hamburg

Prof. Dr. K. Ballschmiter, Abteilung Analytische Chemie und Umweltchemie der Universität Ulm

Dr. R. Bias, BASF AG, Emissionsüberwachung und Ökologie, Ludwigshafen a. Rh.

Dr. B. Broecker †, HOECHST AG, Abteilung Umweltchemikalien/Verbrauchersicherheit, Frankfurt am Main

Prof. Dr. O. Fränzle, Geographisches Institut der Universität Kiel

Prof. Dr. F. H. Frimmel, DVGW-Forschungsstelle am Engler-Bunte-Institut der Universität Karlsruhe

Prof. Dr. H.-P. Gelbke, BASF AG, Toxikologie, Ludwigshafen a. Rh.

Prof. Dr. H. Greim, GSF — Institut für Toxikologie, Neuherberg (Vice Chairman)

Dir. und Prof. Dr. J. Hahn, Institut für Wasser-, Boden- und Lufthygiene des Umweltbundesamtes, Berlin

Dr. H. Jungen, Deutsche Wissenschaftliche Gesellschaft für Erdöl, Erdgas und Kohle e. V., Hamburg

Dir. und Prof. Dr. D. Kayser, Bundesinstitut für gesundheitlichen Verbraucherschutz und Veterinärmedizin,
Berlin

Dr. W. Mühlhölzl, Bayerische Landesanstalt für Wasserforschung, München

Prof. Dr. P. Müller, Institut für Biogeographie, Universität des Saarlandes, Saarbrücken

Dir. und Prof. Dr. E. Offhaus, Umweltbundesamt, Berlin

Dr. R. Ott, Deutsche Shell Chemie GmbH, Eschborn/Ts.

MinRat Prof. Dr. U. Schlottmann, Bundesministerium für Umwelt, Naturschutz und Reaktorsicherheit, Bonn

Dr. N. Schön, BAYER AG, Umweltschutz/Produktsicherheit, Leverkusen

Vizepräsident Dr. A. Troge, Umweltbundesamt, Berlin

Collaborators and Guests:

Dr. K. H. Adlfinger, Initiative Umweltrelevante Altstoffe, Frankfurt am Main

Priv.-Doz. Dr. J. Ahlers, Fachgebiet IV 1.2 des Umweltbundesamtes, Berlin

Frau Dr. A. Boehncke, Fraunhofer-Institut für Toxikologie und Aerosolforschung, Hannover

Dr. S. Ettl, Institut für Organische Chemie der Universität Tübingen

Dr. R.-U. Förster, Du Pont de Nemours GmbH, Bad Homburg

Dr. R. F. Hertel, Fachgruppe 821 des Bundesinstituts für gesundheitlichen Verbraucherschutz und
Veterinärmedizin, Berlin

Dr. G. Könnecker, Fraunhofer-Institut für Toxikologie und Aerosolforschung, Hannover

Dr. J. Koppenhöfer, Institut für Organische Chemie der Universität Tübingen

Prof. Dr. R. Kümmel, Institut für Umwelt- und Sicherheitstechnik der Fraunhofer Management-Gesellschaft,
Oberhausen

Frau Dr. I. Mangelsdorf, GSF - Institut für Toxikologie, Neuherberg

Frau Dr. I. Neumann, GSF - Institut für Toxikologie, Neuherberg

Dr. J. Oberhansberg, BG Chemie, Heidelberg

Dr. G. Rosner, Fraunhofer-Institut für Toxikologie und Aerosolforschung, Hannover

Frau Dr. H. Sterzl-Eckert, GSF - Institut für Toxikologie, Neuherberg

Dr. D. Vogel, Institut für Organische Chemie der Universität Tübingen

Dr. U. Wahnschaffe, Fraunhofer-Institut für Toxikologie und Aerosolforschung, Hannover

Frau Dipl.-Biol. L. Weis, Institut für Organische Chemie der Universität Tübingen

Frau Dr. K. Widmann, Institut für Organische Chemie der Universität Tübingen

GDCh Office:

Dr. H. Behret, GDCh, Frankfurt am Main

Xylidines

(Dimethylanilines)

BUA Report 161

(June 1994)

edited by the GDCh-Advisory
Committee on Existing Chemicals
of Environmental Relevance

Beratergremium für
Umweltrelevante Altstoffe (BUA)



S. Hirzel

Wissenschaftliche Verlagsgesellschaft 1997

Dr. H. Behret
Gesellschaft Deutscher Chemiker
Postfach 90 04 40
D-60444 Frankfurt am Main

BKL Übersetzungen

This book was carefully produced. Nevertheless, authors, editors and publisher do not warrant the information contained therein to be free of errors. Readers are advised to keep in mind that statements, data, illustrations, procedural details or other items may inadvertently be inaccurate.

The use of general descriptive names, trade names, trademarks, etc. in a publication, even if not specifically identified, does not imply that these names are not protected by the relevant law and regulations.

Die Deutsche Bibliothek — CIP-Einheitsaufnahme

Xylidines : (Dimethylanilines) / ed. by the GDCh Advisory
Committee on Existing Chemicals of Environmental Relevance. —
(June 1994). — Stuttgart: Hirzel ; Stuttgart : Wiss. Verl.-Ges., 1997
(BUA report; 161)
Dt. Ausg. u.d.T.: Xylidine
ISBN 3-7776-0768-1

All rights reserved. No part of this publication may be translated, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, microfilming, recording or otherwise, without permission in writing from the publisher.

© 1997 S. Hirzel Verlag, Birkenwaldstraße 44, 70191 Stuttgart

Printed in acid-free and low-chlorine paper.

Printing and binding: Druckhaus Beltz, Hemsbach
Printed in F.R. Germany

Foreword

The German Chemicals Act (Chemikaliengesetz - ChemG) of 1980 stipulates that certain existing chemicals must be reported to the competent authority, if they exhibit properties which indicate that they may be hazardous, either alone or in combination with other substances.

In the summer of 1982, an Advisory Committee on Existing Chemicals of Environmental Relevance (BUA) was set up by the German Chemical Society (Gesellschaft Deutscher Chemiker - GDCh). It brings together representatives from the scientific community, the chemical industry and the governmental authorities. This Advisory Committee is responsible for elaborating appropriate solutions for substances of relevance for health and the environment on the basis of voluntary measures. It selects and examines existing chemicals from the aforementioned angles. The testing and evaluation are based on scientific criteria alone.

It was, therefore, necessary to develop priority setting procedures. In a first phase reports were only prepared for priority chemicals. Within the framework of a first priority setting procedure, chemicals were compiled from several priority lists and 135 chemicals were selected for detailed substance reports.

In a second priority setting procedure the survey of the German Chemical Industry Association (VCI) on all substances with a production volume of more than 10 tons per year was used as a starting list. Since this survey covered 4,600 chemicals, BUA decided to process the corresponding list in several stages. The first stage included approx. 1,050 substances with a production volume of more than 1,000 tons per year.

Detailed reports are drawn up on chemicals suspected of having a hazard potential and abridged reports on those presenting only a minor hazard potential, according to the current state of knowledge.

The detailed BUA reports take in both the published literature and data from industry. If data for the evaluation of the chemicals are not available, additional studies are recommended and the results are published as updates to the reports. The reports serve as a basis for the instigation of administrative measures, when there are indications of risks to health or the environment.

Tübingen, May 1993

Ernst Bayer
Chairman of the Advisory Committee
on Existing Chemicals
of Environmental Relevance

Contents

Summary and Conclusions	XI
--------------------------------------	-----------

Recommendations	XXI
------------------------------	------------

Xylidines

1. Chemistry of the Xylidines (dimethylanilines)	1
1.1 Chemical identity	1
1.1.1 2,3-Xylidine	1
1.1.2 2,4-Xylidine	2
1.1.3 2,5-Xylidine	3
1.1.4 2,6-Xylidine	4
1.1.5 3,4-Xylidine	5
1.1.6 3,5-Xylidine	6
1.2 Composition of the technical product	7
1.3 Chemical properties	8
2. Physical properties	10
2.1 Physical properties of 2,3-Xylidine	10
2.2 Physical properties of 2,4-Xylidine	12
2.3 Physical properties of 2,5-Xylidine	16
2.4 Physical properties of 2,6-Xylidine	19
2.5 Physical properties of 3,4-Xylidine	22
2.6 Physical properties of 3,5-Xylidine	24
3. Analysis	27
3.1 Determination in the air	30
3.2 Determination in water	30
3.3 Determination in soil, sediment and biological material	34
3.4 Methods for the determination of xylidines in products	34
4. Discharge into the environment during production, processing, application, and waste disposal	39
4.1 Production processes	39
4.2 Producers and processors, production quantities, export, Import, total consumption	42
4.2.1 Producers, production quantities	42
4.2.2 Import, export	46
4.2.3 Total consumption	47
4.3 Processing, application, quantities used	48
4.3.1 Processing	48
4.3.2 Application	53
4.4 Discharge into the atmosphere	54
4.4.1 Discharge during production and processing	54
4.4.1.1 Discharge during production	54
4.4.1.2 Discharge during processing	55
4.4.2 Discharge during application	56
4.4.3 Discharge from other areas	56
4.5 Discharge into the hydrosphere	57
4.5.1 Discharge during production and processing	57
4.5.1.1 Discharge during production	57
4.5.1.2 Discharge during processing	58
4.5.2 Discharge during application	60
4.5.3 Discharge from other areas	60
4.6 Discharge into the geosphere and biosphere	61

4.7	Discharge from waste materials and their treatment	62
4.7.1	Discharge from waste materials and their treatment during production	62
4.7.2	Discharge from waste materials and their treatment during processing	63
4.7.3	Discharge from waste materials from the application of products based on xylidines.....	64
4.8	Balance of sources of discharge into the environment	65
5.	Occurrence in the environment	67
5.1	Atmosphere	67
5.2	Hydrosphere	67
5.3	Geosphere	68
5.4	Biosphere	68
5.5	Other occurrences	68
5.6	Natural sources	69
6.	Behaviour in the environment	70
6.1	Transformation, degradation and degradation products	70
6.1.1	Biological degradation	70
6.1.1.1	Microbial degradation in the hydrosphere	70
6.1.1.2	Degradation through enzyme isolates	74
6.1.1.3	Degradation through microbial mixed cultures from soils	74
6.1.2	Hydrolytic degradation	75
6.1.3	Phototransformation	75
6.1.3.1	Photochemical decomposition in the air	75
6.1.3.2	Photodecomposition in water	75
6.2	Accumulation	76
6.2.1	Bioaccumulation	76
6.2.2	Geoaccumulation	77
6.3	Distribution behaviour and transport processes in and between the environmental compartments	77
6.3.1	Henry constants	77
6.3.2	n-Octanol/water partition coefficient	79
6.3.3	Soil sorption coefficients	81
6.4	Environmental fate	82
7.	Ecotoxicology	84
7.1	Effects on aquatic organisms	84
7.1.1	Microorganisms	84
7.1.1.1	Bacteria	84
7.1.1.2	Fungi	85
7.1.1.3	Protozoa	86
7.1.2	Plants	87
7.1.3	Invertebrates	90
7.1.4	Vertebrates	92
7.2	Effects on terrestrial organisms	95
7.2.1	Microorganisms	95
7.2.2	Plants	96
7.2.3	Invertebrates	97
7.2.4	Vertebrates	97
7.3	Effects on ecosystems	98
8.	Toxicity in warm-blooded animals	99
8.1	General character of the effect	99

8.2	Mode of action.....	100
8.3	Metabolism, toxicokinetics	101
8.3.1	Absorption	101
8.3.2	Distribution	101
8.3.3	Biotransformation and excretion	101
8.3.3.1	2,4-Xylidine	102
8.3.3.2	2,5-Xylidine	107
8.3.3.3	2,6-Xylidine	108
8.3.3.4	3,4-Xylidine	108
8.4	Acute toxicity	109
8.4.1	2,4-Xylidine	109
8.4.2	Other isomers	114
8.5	Skin and mucous membrane tolerance	115
8.5.1	24-Xylidine	115
8.5.2	26-Xylidine	116
8.5.3	3,5-Xylidine	117
8.5.4	Other isomers	118
8.6	Sensitizing effect	118
8.7	Subacute, subchronic and chronic toxicity	118
8.7.1	Subacute toxicity	118
8.7.1.1	2,4-Xylidine	118
8.7.1.2	2,5-Xylidine	123
8.7.1.3	2,6-Xylidine	124
8.7.1.4	Other isomers	126
8.7.2	Subchronic toxicity	126
8.7.2.1	2,4-Xylidine	126
8.7.2.2	2,6-Xylidine	128
8.7.2.3	Other isomers	129
8.7.3	Chronic toxicity	129
8.7.3.1	2,4-Xylidine	129
8.7.3.2	2,6-Xylidine	130
8.7.3.3	Other isomers	131
8.8	Genotoxicity	131
8.8.1	Genotoxicity in vitro	131
8.8.1.1	2,4-Xylidine	134
8.8.1.2	Other isomers	136
8.8.2	Genotoxicity in vivo	136
8.8.2.1	24-Xylidine	136
8.8.2.2	2,6-Xylidine	136
8.8.2.3	Other isomers	136
8.9	Carcinogenicity	136
8.9.1	2,4-Xylidine	138
8.9.2	2,5-Xylidine	139
8.9.3	2,6-Xylidine	139
8.9.4	Other isomers	141
8.10	Reproduction toxicity	141
8.11	Other effects	141
8.11.1	Neurotoxicity of 2,4-Xylidine	141
8.11.2	Cytotoxicity	142
8.11.3	Xylidines as metabolites	142
8.11.4	Biochemical and cellular interactions	147
8.12	Experience with humans	148

9.	Substance-specific regulations	149
9.1	Regulations for dangerous materials	149
9.2	Regulations for health protection at the workplace	149
9.3	Water resources law, regulations on equipment for storage, filling and loading/unloading of water-hazardous materials, catalogue of water-hazardous materials	149
9.4	Waste catalogue	151
9.5	Regulations for combustible liquids	151
9.6	Transport regulations	152