



**German Chemical Society
Gesellschaft Deutscher Chemiker**

GDCh-Advisory Committee
on Existing Chemicals of
Environmental Relevance (BUA)

**Ethylenediaminetetra-
acetic acid / Tetrasodium
ethylenediaminetetra-
acetate
(H₄EDTA/Na₄EDTA)**

BUA Report 168
(May 1995)



S. Hirzel

Wissenschaftliche Verlagsgesellschaft 1997

GDCh-Advisory Committee on Existing Chemicals of Environmental Relevance (BUA)

Chairman:

Prof. Dr. E. Bayer, Institut für Organische Chemie der Universität Tübingen

Members:

Dr. G. Alfke, Mineralölwirtschaftsverband e. V., Hamburg

Prof. Dr. K. Ballschmiter, Abteilung Analytische Chemie und Umweltchemie der Universität Ulm

Dr. R. Bias, BASF AG, Emissionsüberwachung und Ökologie, Ludwigshafen a. Rh.

Prof. Dr. O. Fränze, Geographisches Institut der Universität Kiel

Prof. Dr. H.-P. Gelbke, BASF AG, Toxikologie, Ludwigshafen a. Rh.

Prof. Dr. H. Greim, GSF — Institut für Toxikologie, Neuherberg (Vice Chairman)

Dir. und Prof. Dr. J. Hahn, Institut für Wasser-, Boden- und Lufthygiene des Umweltbundesamtes, Berlin

Dr. H. Heÿn, HOECHST AG, Ressortgruppe Umwelt, Frankfurt am Main

Dr. H. Jungen, Deutsche Wissenschaftliche Gesellschaft für Erdöl, Erdgas und Kohle e. V., Hamburg

Dir. und Prof. Dr. D. Kayser, Bundesinstitut für gesundheitlichen Verbraucherschutz und Veterinärmedizin, Berlin

Dr. W. Mayr, DEGUSSA AG, Abteilung Umweltschutz/Industrielle Toxikologie, Hanau

Dr. W. Mühlhölzl, Bayerische Landesanstalt für Wasserforschung, München

Prof. Dr. P. Müller, Institut für Biogeographie, Universität des Saarlandes, Saarbrücken

Prof. Dr. R. Nagel, Institut für Hydrobiologie der Technischen Universität Dresden

Dir. und Prof. Dr. H. Neidhard, Umweltbundesamt, Berlin

MinRat Prof. Dr. U. Schlottmann, Bundesministerium für Umwelt, Naturschutz und Reaktorsicherheit, Bonn

Dr. B. Stock, BAYER AG, Umweltschutz/Produktsicherheit, Leverkusen

Präsident Dr. A. Troge, Umweltbundesamt, Berlin

Collaborators and Guests:

Dr. K. H. Adlfinger, Initiative Umweltrelevante Altstoffe, Frankfurt am Main

Priv.-Doz. Dr. J. Ahlers, Fachgebiet IV 1.2 des Umweltbundesamtes, Berlin

Dr. M. Andreae, BASF AG, Ludwigshafen am Rhein

Frau Dr. H. E. Borsdorf, BASF AG, Ludwigshafen am Rhein

Dr. B.-P. Elendt-Schneider, BASF AG, Ludwigshafen am Rhein

Dr. S. Ettel, Institut für Organische Chemie der Universität Tübingen

Frau Dr. C. Frank-Otto, BASF AG, Ludwigshafen am Rhein

Prof. Dr. F. H. Frimmel, DVGW-Forschungsstelle am Engler-Bunte-Institut der Universität Karlsruhe

Dr. R. F. Hertel, Fachgruppe 821 des Bundesinstituts für gesundheitlichen Verbraucherschutz und Veterinärmedizin, Berlin

Dr. R. Jäckh, BASF AG, Toxikologie, Ludwigshafen am Rhein

Dr. U. Kaluza, BASF AG, Ludwigshafen am Rhein

Dr. R.-J. Klimisch, BASF AG, Toxikologie, Ludwigshafen am Rhein

Dr. J. Koppenhöfer, Institut für Organische Chemie der Universität Tübingen

Dr. W. Krämer, BASF AG, Ludwigshafen am Rhein

Frau Dr. I. Mangelsdorf, GSF - Institut für Toxikologie, Neuherberg

Dr. H.-J. Opgenorth, BASF AG, Ludwigshafen am Rhein

Frau Dr. I. Rengel, GSF — Institut für Toxikologie, Neuherberg

Dr. R. Sarafin, BASF AG, Ludwigshafen am Rhein

Frau Dr. H. Sterzl-Eckert, GSF - Institut für Toxikologie, Neuherberg

Dr. D. Vogel, Institut für Organische Chemie der Universität Tübingen

E. Weber, BASF AG, Ludwigshafen am Rhein

Frau Dipl.-Biol. L. Weis, Institut für Organische Chemie der Universität Tübingen

Frau Dr. K. Widmann, Institut für Organische Chemie der Universität Tübingen

GDCh Office:

Dr. H. Behret, GDCh, Frankfurt am Main

**Ethylenediaminetetraacetic
acid / Tetrasodium ethylene-
diaminetetraacetate**

(H₄EDTA/Na₄EDTA)

BUA Report 168

(May 1995)

edited by the GDCh-Advisory
Committee on Existing Chemicals
of Environmental Relevance

Beratergremium für
Umweltrelevante Altstoffe (BUA)



S. Hirzel

Wissenschaftliche Verlagsgesellschaft 1997

Dr. H. Behret
Gesellschaft Deutscher Chemiker
Postfach 90 04 40
D-60444 Frankfurt am Main

Translated by B. Brown

This book was carefully produced. Nevertheless, authors, editors and publisher do not warrant the information contained therein to be free of errors. Readers are advised to keep in mind that statements, data, illustrations, procedural details or other items may inadvertently be inaccurate.

The use of general descriptive names, trade names, trademarks, etc. in a publication, even if not specifically identified, does not imply that these names are not protected by the relevant law and regulations.

Die Deutsche Bibliothek — CIP-Einheitsaufnahme

Ethylenediaminetetraacetic acid, tetrasodium ethylenediaminetetraacetate / ed. by the GDCh Advisory Committee on Existing Chemicals of Environmental Relevance. — (May 1995). — Stuttgart: Hirzel ; Stuttgart : Wiss. Verl.-Ges., 1997
(BUA report; 168)
Dt. Ausg. u.d.T.: Ethylendiamintetraessigsäure,
Tetranatriumethylendiamintetraacetat
ISBN 3-7776-0766-5

All rights reserved. No part of this publication may be translated, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, microfilming, recording or otherwise, without permission in writing from the publisher.

© 1997 S. Hirzel Verlag, Birkenwaldstraße 44, 70191 Stuttgart

Printed in acid-free and low-chlorine paper.

Printing and binding: Druckhaus Beltz, Hemsbach
Printed in F.R. Germany

Foreword

The German Chemicals Act (Chemikaliengesetz — ChemG) of 1980 stipulates that certain existing chemicals must be reported to the competent authority, if they exhibit properties which indicate that they may be hazardous, either alone or in combination with other substances.

In the summer of 1982, an Advisory Committee on Existing Chemicals of Environmental Relevance (BUA) was set up by the German Chemical Society (Gesellschaft Deutscher Chemiker — GDCh). It brings together representatives from the scientific community, the chemical industry and the governmental authorities. This Advisory Committee is responsible for elaborating appropriate solutions for substances of relevance for health and the environment on the basis of voluntary measures. It selects and examines existing chemicals from the aforementioned angles. The testing and evaluation are based on scientific criteria alone.

It was, therefore, necessary to develop priority setting procedures. In a first phase reports were only prepared for priority chemicals. Within the framework of a first priority setting procedure, chemicals were compiled from several priority lists and 135 chemicals were selected for detailed reports.

In a second priority setting procedure the survey of the German Chemical Industry Association (VCI) on all substances with a production volume of more than 10 tons per year was used as a starting list. Since this survey covered 4,600 chemicals, BUA decided to process the corresponding list in several stages. The first stage included approx. 1,050 substances with a production volume of more than 1,000 tons per year.

Detailed reports are drawn up on chemicals suspected of having a hazard potential and abridged reports on those presenting only a minor hazard potential, according to the current state of knowledge.

The detailed BUA reports take in both the published literature and data from industry. If data for the evaluation of the chemicals are not available, additional studies are recommended and the results are published as update to the reports. The reports serve as a basis for the instigation of administrative measures, when there are indications of risks to health or the environment.

Tübingen, May 1993

Ernst Bayer
Chairman of the Advisory Committee
on Existing Chemicals
of Environmental Relevance

Contents

Summary and conclusions	XIII
Recommendations	XXI
Ethylenediaminetetraacetic acid, H₄EDTA and tetrasodium ethylenediaminetetraacetate, Na₄EDTA	
1	Chemistry of the substances 1
1.1	Chemical identity 1
1.2	Composition of the technical products 4
1.3	Chemical properties 4
2	Physical properties 11
3	Analytical methods 18
3.1	Determination in air 18
3.2	Determination in water 18
3.3	Determination in soil, sediment, and biological material 20
4	Discharge into the environment during manufacture, processing, use and waste disposal 21
4.1	Manufacturing processes 21
4.2	Manufacturers, overall consumption, exports, imports 23
4.2.1	Production, exports, imports 23
4.2.2	Consumption 25
4.3	Processing, use, consumption levels 28
4.3.1	Processing 28

4.3.2	Use	28
4.4	Discharge into the atmosphere	38
4.4.1	Discharge during manufacture and processing	38
4.4.1.1	Discharge during manufacture	38
4.4.1.2	Discharge during processing	39
4.4.2	Discharge during use	39
4.4.3	Discharge from other areas	39
4.5	Discharge into the hydrosphere	40
4.5.1	Discharge during manufacture and processing	40
4.5.1.1	Discharge during manufacture	40
4.5.1.2	Discharge during processing	42
4.5.2	Discharge during use	42
4.5.2.1	Effect in wastewater treatment	42
4.5.2.2	Special wastewater-treatment processes	45
4.5.3	Discharge from other sectors	47
4.6	Discharge into the geosphere and biosphere	48
4.7	Discharge via waste and its treatment	48
4.8	Summary of discharge into the environment	49
5	Occurrence in the environment	51
5.1	Atmosphere	51
5.2	Hydrosphere	51
5.2.1	Potable water treatment	72
5.3	Geosphere	75
5.4	Biosphere	75
5.5	Natural sources	75

6	Behaviour in the environment	76
6.1	Transformation, degradation and degradation products	76
6.1.1	Biodegradation	76
6.1.2	Hydrolytic degradation	85
6.1.3	Photochemical degradation	85
6.1.4	Chemical and electrochemical oxidation	89
6.2	Accumulation	91
6.2.1	Bioaccumulation	91
6.2.2	Geoaccumulation	96
6.3	Distribution behaviour and transport processes in and between environmental compartments	97
6.3.1	Henry's constant	101
6.3.2	n-Octanol/water partition coefficient	101
6.3.3	Soil-sorption coefficients	101
6.3.4	Interaction with heavy metals	102
6.3.4.1	Introduction	102
6.3.4.2	Extent to which metal ions form complexes with uncomplexed EDTA in model water	103
6.3.4.2.1	Fresh water	103
6.3.4.2.2	Seawater	105
6.3.4.3	Extent of heavy metal re-mobilization from soil bodies by uncomplexed EDTA and Ca-H ₂ EDTA	107
6.3.4.3.1	Model studies	107
6.3.4.3.2	Studies of contaminated sediments	110
6.3.4.4	The various standpoints on remobilization put forward during EDTA discussions in the BMU (Federal Ministry of the Environment)	113
6.3.4.5	Standpoint of BASF AG on the subject of "Environmental behaviour of complex-formers - Remobilization of heavy metals"	116

6.4	Fate in the environment	121
7	Ecotoxicity	123
7.1	Effects on aquatic life	123
7.1.1	Micro-organisms	123
7.1.1.1	Prokaryotes (bacteria, cyanobacteria)	124
7.1.1.2	Protozoa	126
7.1.2	Plants	128
7.1.2.1	Algae	128
7.1.2.2	Higher plants	131
7.1.3	Invertebrates	132
7.1.3.1	Molluscs	132
7.1.3.2	Entomostracan	133
7.1.3.3	Echinodermata	135
7.1.4	Vertebrates	135
7.1.4.1	Fish	135
7.1.4.2	Amphibians	136
7.2	Effects on terrestrial creatures	138
7.2.1	Micro-organisms	138
7.2.1.1	Bacteria	138
7.2.1.2	Fungi	139
7.2.2	Plants	139
7.2.3	Invertebrates	142
7.2.4	Vertebrates	142
7.3	Effects on ecosystems	142

8	Toxicity to mammals	143
8.1	General nature of effects	143
8.2	Mechanism	144
8.3	Metabolism, toxicokinetics	144
8.4	Acute toxicity	145
8.5	Skin and mucous membrane tolerance	148
8.6	Sensitizing effect	149
8.7	Subacute, subchronic and chronic effects	151
8.8	Genotoxicity	157
8.8.1	<i>In vitro</i>	157
8.8.2	<i>In vivo</i>	158
8.9	Carcinogenicity	159
8.10	Reproduction toxicity	160
8.10.1	Fertility	160
8.10.2	Prenatal toxicity	160
8.11	Effects on the immune system	170
8.12	Other effects	170
8.13	Experience in humans	171
9	Substance-specific legal regulations	175
10	Literature	182