



**German Chemical Society
Gesellschaft Deutscher Chemiker**

GDCh-Advisory Committee
on Existing Chemicals of
Environmental Relevance (BUA)

Diethylene glycol dimethyl ether
(Bis(2-methoxyethyl)-ether)
BUA Report 67
(December 1991)



S. Hirzel

Wissenschaftliche Verlagsgesellschaft 1993

GDCh-Advisory Committee on Existing Chemicals of Environmental Relevance (BUA)

Chairman:

Prof. Dr. E. Bayer, Institut für Organische Chemie der Universität Tübingen

Members:

Dr. G. Alfke, Mineralölwirtschaftsverband e. V., Hamburg
Prof. Dr. K. Ballschmiter, Abteilung Analytische Chemie und Umweltchemie der Universität Ulm
Dr. R. Bias, BASF AG, Emissionsüberwachung und Ökologie, Ludwigshafen a. Rh.
Dr. B. Broecker, HOECHST AG, Abteilung Umweltchemikalien/Verbrauchersicherheit, Frankfurt am Main
Prof. Dr. O. Fränzle, Geographisches Institut der Universität Kiel
Prof. Dr. F. H. Frimmel, DVGW-Forschungsstelle am Engler-Bunte-Institut der Universität Karlsruhe
Prof. Dr. H.-P. Gelbke, BASF AG, Toxikologie, Ludwigshafen a. Rh.
Prof. Dr. H. Greim, GSF - Institut für Toxikologie, Neuherberg (Vice Chairman)
Dr. H. Jungen, Deutsche Wissenschaftliche Gesellschaft für Erdöl, Erdgas und Kohle e. V., Hamburg
Dir. und Prof. Dr. D. Kayser, Bundesgesundheitsamt, Berlin
Prof. Dr. P. Müller, Institut für Biogeographie, Universität des Saarlandes, Saarbrücken
Dir. und Prof. Dr. E. Offhaus, Umweltbundesamt, Berlin
Dr. R. Ott, Deutsche Shell Chemie GmbH, Eschborn/Ts.
MinRat Prof. Dr. U. Schlottmann, Bundesministerium für Umwelt, Naturschutz und Reaktorsicherheit, Bonn
Dr. N. Schön, BAYER AG, LE Umweltschutz/AWALU, Leverkusen
Vizepräsident Dr. A. Troge, Umweltbundesamt, Berlin

Guests:

Dr. K. H. Adlfinger, Initiative umweltrelevante Altstoffe, Frankfurt am Main
Prof. Dr. R. Kümmer, Technische Hochschule Leuna-Merseburg
Prof. Dr. Dr. W. Mücke, Institut für Toxikologie und Umwelthygiene der TU München
Dr. J. Oberhansberg, BG Chemie, Heidelberg

In collaboration with:

Priv.-Doz. Dr. J. Ahlers, Umweltbundesamt, Berlin
Frau Dr. A. Boehnke, Fraunhofer-Institut für Toxikologie und Aerosolforschung, Hannover
Frau Dipl.-Biol. K. Deilmann, HOECHST AG, Frankfurt am Main
Dr. S. Ettel, Institut für Organische Chemie der Universität Tübingen
Frau Dr. I. Mangelsdorf, GSF - Institut für Toxikologie, Neuherberg
Dr. H. Roß, Umweltbundesamt, Berlin
Frau Dr. H. Sterzl-Eckert, GSF - Institut für Toxikologie, Neuherberg
Dr. D. Vogel, Institut für Organische Chemie der Universität Tübingen
Frau Dipl.-Biol. L. Weis, Institut für Organische Chemie der Universität Tübingen
Dr. A. Wibbertmann, Fraunhofer-Institut für Toxikologie und Aerosolforschung, Hannover
Frau Dr. K. Widmann, Institut für Organische Chemie der Universität Tübingen
Frau Dr. K. Ziegler-Skylakakis, GSF - Institut für Toxikologie/Altstoffgruppe, Neuherberg

GDCh Office:

Dr. H. Behret, GDCh, Frankfurt am Main

Diethylene glycol dimethyl ether
(Bis(2-methoxyethyl)-ether)
BUA Report 67
(December 1991)

edited by the GDCh-Advisory
Committee on Existing Chemicals
of Environmental Relevance

Beratergremium für
Umweltrelevante Altstoffe (BUA)



S. Hirzel

Wissenschaftliche Verlagsgesellschaft 1993

Dr. H. Behret
Gesellschaft Deutscher Chemiker
Postfach 90 04 40
D-60444 Frankfurt am Main

Translated by P. Karbe

This book was carefully produced. Nevertheless, authors, editors and publisher do not warrant the information contained therein to be free of errors. Readers are advised to keep in mind that statements, data, illustrations, procedural details or other items may inadvertently be inaccurate.

The use of general descriptive names, trade names, trademarks, etc. in a publication, even if not specifically identified, does not imply that these names are not protected by the relevant law and regulations.

Die Deutsche Bibliothek — CIP-Einheitsaufnahme

Diethylene glycol dimethyl ether : (Bis(2-methoxyethyl)-ether) /
GDCh Advisory Committee on Existing Chemicals of
Environmental Relevance (BUA) - (December 1991) - Stuttgart:
Hirzel ; Stuttgart : Wiss. Verl.-Ges., 1993
(BUA report; 67)

ISBN 3-7776-0557-3

NE: Gesellschaft Deutscher Chemiker / Beratergremium für
Umweltrelevante Altstoffe: BUA report

All rights reserved. No part of this publication may be translated, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, microfilming, recording or otherwise, without permission in writing from the publisher.

© 1993 S. Hirzel Verlag, Birkenwaldstraße 44, 70191 Stuttgart

Printed in acid-free and low-chlorine paper.

Printing and binding: Druckhaus Beltz, Hemsbach
Printed in F.R. Germany

Foreword

The German Chemicals Act (Chemikaliengesetz - ChemG) of 1980 stipulates that certain existing chemicals must be reported to the competent authority, if they exhibit properties which indicate that they may be hazardous, either alone or in combination with other substances.

In the summer of 1982, an Advisory Committee on Existing Chemicals of Environmental Relevance (BUA) was set up by the German Chemical Society (Gesellschaft Deutscher Chemiker - GDCh). It brings together representatives from the scientific community, the chemical industry and the governmental authorities. This Advisory Committee is responsible for elaborating appropriate solutions for substances of relevance for health and the environment on the basis of voluntary measures. It selects and examines existing chemicals from the aforementioned angles. The testing and evaluation are based on scientific criteria alone.

It was, therefore, necessary to develop priority setting procedures. In a first phase reports were only prepared for priority chemicals. Within the framework of a first priority setting procedure, chemicals were compiled from several priority lists and 135 chemicals were selected for detailed substance reports.

In a second priority setting procedure the survey of the German Chemical Industry Association (VCI) on all substances with a production volume of more than 10 tons per year was used as a starting list. Since this survey covered 4,600 chemicals, BUA decided to process the corresponding list in several stages. The first stage included approx. 1,050 substances with a production volume of more than 1,000 tons per year.

Detailed reports are drawn up on chemicals suspected of having a hazard potential and abridged reports on those presenting only a minor hazard potential, according to the current state of knowledge.

The detailed BUA reports take in both the published literature and data from industry. If data for the evaluation of the chemicals are not available, additional studies are recommended and the results are published as updates to the reports. The reports serve as a basis for the instigation of administrative measures, when there are indications of risks to health or the environment.

Tübingen, May 1993

Ernst Bayer
Chairman of the Advisory Committee
on Existing Chemicals
of Environmental Relevance

Contents

Summary and Conclusions	IX
--------------------------------------	-----------

Recommendations	XIII
------------------------------	-------------

Diethylene Glycol Dimethyl Ether

(Bis(2-methoxyethyl)-ether)

1. Chemistry of Diethylene Glycol Dimethyl Ether	1
1.1. Chemical Identity	1
1.2. Composition of the Technical Product	2
1.3. Chemical Properties	2
2. Physical Properties	4
3. Analysis	9
3.1. Determination in Air	9
3.2. Determination in Water	9
3.3. Determination in Soil, Sediment and Biological Material	11
3.4. Determination in Solvent Mixtures	11
4. Introduction into the Environment through Production, Processing, Application and Waste Disposal	13
4.1. Production Methods	13
4.2. Manufacturers, Production Quantity, Export, Import, Total Consumption	14
4.3. Processing, Application, Consumption Quantity	15
4.3.1. Processing	15
4.3.2. Application	15
4.4. Introduction into the Atmosphere	18
4.4.1. Introduction through Production and Processing Exhaust	18
4.4.1.1. Introduction through Production	18
4.4.1.2. Introduction through Processing	18
4.4.2. Introduction through Application	18
4.5. Introduction into the Hydrosphere	18
4.5.1. Introduction through Production and Processing	18
4.5.1.1. Introduction through Production	18
4.5.1.2. Introduction through Processing	19
4.5.2. Introduction through Application	19
4.5.3. Introduction from Other Sources	19
4.6. Introduction into the Geo- and Biosphere	20
4.7. Introduction through Wastes and Their Treatment	20
4.8. Balance of Environmental Introduction	20
5. Environmental Occurrence	22
5.1. Atmosphere	22
5.2. Hydrosphere	22
5.3. Geosphere	22
5.4. Biosphere	22
5.5. Natural Sources	22

6.	Environmental Behavior	24
6.1	Transformation, Degradation and Degradation Products	24
6.1.1	Biological Degradation	24
6.1.1.1	Aerobic Degradation	24
6.1.1.2	Anaerobic Degradation	24
6.1.2	Hydrolysis	25
6.1.3	Photolysis	25
6.1.3.1	Photolysis in the Atmosphere	25
6.1.3.2	Photolysis in the Hydrosphere	26
6.1.4	Possible Sewage—Treatment Measures	26
6.2	Accumulation	27
6.2.1	Bioaccumulation	27
6.2.2	Geoaccumulation	27
6.3	Distributional Behavior, Transport Processes within and between Environmental Compartments	27
6.3.1	Henry's Law Constant	27
6.3.2	n-Octanol/Water Partition Coefficient	28
6.3.3	Soil Sorption Coefficients	28
6.4	Environmental Fate	28
7.	Ecotoxicity	30
7.1	Effects on Aquatic Organisms	30
7.1.1	Effects on Microorganisms	30
7.1.2	Effects on Plants	30
7.1.3	Effects on Invertebrates	30
7.1.4	Effects on Vertebrates	30
7.2	Effects on Terrestrial Organisms	31
7.2.1	Effects on Microorganisms	31
7.2.2	Effects on Plants	31
7.2.3	Effects on Invertebrates	32
7.2.4	Effects on Vertebrates	32
7.3	Effects on Ecosystems	33
8.	Toxicity in Warm-Blooded Organisms	34
8.1	General Effects	34
8.2	Mode of Action	35
8.3	Metabolism, Toxicokinetics	35
8.4	Acute Toxicity	38
8.5	Skin and Mucous Membrane Tolerance	39
8.6	Sensitization	39
8.7	Subacute, Subchronic and Chronic Toxicity	41
8.8	Genotoxicity	41
8.9	Carcinogenicity	43
8.10	Reproduction Toxicity	43
8.10.1	Embryotoxic Effects	43
8.10.2	Fertility	46
8.11.	Other Effects	46
8.12	Human Cases	46
9.	Substance-Specific Regulations	47
10.	Literature	51