



**German Chemical Society
Gesellschaft Deutscher Chemiker**

GDCh-Advisory Committee
on Existing Chemicals of
Environmental Relevance (BUA)

1,4-Dioxane
BUA Report 80
(October 1991)



S. Hirzel

Wissenschaftliche Verlagsgesellschaft 1994

GDCh-Advisory Committee on Existing Chemicals of Environmental Relevance (BUA)

Chairman:

Prof. Dr. E. Bayer, Institut für Organische Chemie der Universität Tübingen

Members:

Dr. G. Alfke, Mineralölwirtschaftsverband e. V., Hamburg
Prof. Dr. K. Ballschmiter, Abteilung Analytische Chemie und Umweltchemie der Universität Ulm
Dr. B. Broecker, HOECHST AG, Abteilung Umweltchemikalien/Verbrauchersicherheit, Frankfurt am Main
Prof. Dr. O. Fränze, Geographisches Institut der Universität Kiel
Prof. Dr. F. H. Frimmel, DVGW-Forschungsstelle am Engler-Bunte-Institut der Universität Karlsruhe
Prof. Dr. H.-P. Gelbke, BASF AG, Toxikologie, Ludwigshafen a. Rh.
Prof. Dr. H. Greim, GSF - Institut für Toxikologie, Neuherberg (Vice Chairman)
Dr. W. G. Haltrich, BASF AG, Emissionsüberwachung und Ökologie, Ludwigshafen a. Rh.
Dr. H. Jungen, Deutsche Wissenschaftliche Gesellschaft für Erdöl, Erdgas und Kohle e. V., Hamburg
Dir. und Prof. Dr. D. Kayser, Bundesgesundheitsamt, Berlin
Prof. Dr. Dr. W. Mücke, Institut für Toxikologie und Umwelthygiene der TU München
Prof. Dr. P. Müller, Institut für Biogeographie, Universität des Saarlandes, Saarbrücken
Dir. und Prof. Dr. E. Offhaus, Umweltbundesamt, Berlin
Dr. R. Ott, Deutsche Shell Chemie GmbH, Eschborn/Ts.
MinRat Prof. Dr. U. Schlottmann, Bundesministerium für Umwelt, Naturschutz und Reaktorsicherheit, Bonn
Dr. N. Schön, BAYER AG, LE Umweltschutz/AWALU, Leverkusen
Vizepräsident Dr. A. Troge, Umweltbundesamt, Berlin

Guests:

Dr. H. W. Kraus, Bundesministerium für Umwelt, Naturschutz und Reaktorsicherheit, Bonn
Prof. Dr. R. Kümmel, Technische Hochschule Leuna-Merseburg
Dr. J. Oberhansberg, BG Chemie, Heidelberg
Dr. H. K. Schäfer, Initiative umweltrelevante Altstoffe, Frankfurt am Main

In collaboration with:

Dr. K. Adelsberger, BASF AG, Ludwigshafen a. Rh.
Priv.-Doz. Dr. J. Ahlers, Umweltbundesamt, Berlin
Dr. S. Ettel, Institut für Organische Chemie der Universität Tübingen
Dr. R. Jäckh, BASF AG, Ludwigshafen a. Rh.
Frau Dipl.-Biol. P. Jahn, BASF AG, Ludwigshafen a. Rh.
Dr. W. Krämer, BASF AG, Ludwigshafen a. Rh.
Frau Dr. I. Mangelsdorf, GSF - Institut für Toxikologie, Neuherberg
Dr. H. Roß, Umweltbundesamt, Berlin
Frau Dr. H. Sterzl-Eckert, GSF - Institut für Toxikologie, Neuherberg
Dr. K. Taeger, BASF AG, Ludwigshafen a. Rh.
Dr. D. Vogel, Institut für Organische Chemie der Universität Tübingen
Frau Dipl.-Biol. L. Weis, Institut für Organische Chemie der Universität Tübingen
Frau Dr. K. Widmann, Institut für Organische Chemie der Universität Tübingen

GDCh Office:

Dr. H. Behret, GDCh, Frankfurt am Main

1,4-Dioxane

BUA Report 80

(October 1991)

edited by the GDCh-Advisory
Committee on Existing Chemicals
of Environmental Relevance

Beratergremium für
Umweltrelevante Altstoffe (BUA)



S. Hirzel

Wissenschaftliche Verlagsgesellschaft 1994

Dr. H. Behret
Gesellschaft Deutscher Chemiker
Postfach 90 04 40
D-60444 Frankfurt am Main

Translated by R. Brown

This book was carefully produced. Nevertheless, authors, editors and publisher do not warrant the information contained therein to be free of errors. Readers are advised to keep in mind that statements, data, illustrations, procedural details or other items may inadvertently be inaccurate.

The use of general descriptive names, trade names, trademarks, etc. in a publication, even if not specifically identified, does not imply that these names are not protected by the relevant law and regulations.

Die Deutsche Bibliothek — CIP-Einheitsaufnahme

1,4-Dioxane / ed. by the GDCh Advisory Committee on Existing Chemicals of Environmental Relevance [Transl. by R. Brown] - (October 1991) - Stuttgart: Hirzel ; Stuttgart : Wiss. Verl.-Ges., 1994

(BUA report; 80)

Dt. Ausg. u.d.T.: 1,4-Dioxan

ISBN 3-7776-0600-6

NE: Brown, R. [Übers.]; Gesellschaft Deutscher Chemiker /
Beratergremium für Umweltrelevante Altstoffe: BUA report

All rights reserved. No part of this publication may be translated, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, microfilming, recording or otherwise, without permission in writing from the publisher.

© 1994 S. Hirzel Verlag, Birkenwaldstraße 44, 70191 Stuttgart

Printed in acid-free and low-chlorine paper.

Printing and binding: Druckhaus Beltz, Hemsbach
Printed in F.R. Germany

Foreword

The German Chemicals Act (Chemikaliengesetz - ChemG) of 1980 stipulates that certain existing chemicals must be reported to the competent authority, if they exhibit properties which indicate that they may be hazardous, either alone or in combination with other substances.

In the summer of 1982, an Advisory Committee on Existing Chemicals of Environmental Relevance (BUA) was set up by the German Chemical Society (Gesellschaft Deutscher Chemiker - GDCh). It brings together representatives from the scientific community, the chemical industry and the governmental authorities. This Advisory Committee is responsible for elaborating appropriate solutions for substances of relevance for health and the environment on the basis of voluntary measures. It selects and examines existing chemicals from the aforementioned angles. The testing and evaluation are based on scientific criteria alone.

It was, therefore, necessary to develop priority setting procedures. In a first phase reports were only prepared for priority chemicals. Within the framework of a first priority setting procedure, chemicals were compiled from several priority lists and 135 chemicals were selected for detailed substance reports.

In a second priority setting procedure the survey of the German Chemical Industry Association (VCI) on all substances with a production volume of more than 10 tons per year was used as a starting list. Since this survey covered 4,600 chemicals, BUA decided to process the corresponding list in several stages. The first stage included approx. 1,050 substances with a production volume of more than 1,000 tons per year.

Detailed reports are drawn up on chemicals suspected of having a hazard potential and abridged reports on those presenting only a minor hazard potential, according to the current state of knowledge.

The detailed BUA reports take in both the published literature and data from industry. If data for the evaluation of the chemicals are not available, additional studies are recommended and the results are published as updates to the reports. The reports serve as a basis for the instigation of administrative measures, when there are indications of risks to health or the environment.

Tübingen, May 1993

Ernst Bayer
Chairman of the Advisory Committee
on Existing Chemicals
of Environmental Relevance

Contents

Summary and conclusions	XI
--------------------------------------	-----------

Recommendations	XX
------------------------------	-----------

1,4-Dioxane

1	Chemistry of the substance	1
1.1	Chemical identity	1
1.2	Composition of industrial product	2
1.3	Chemical properties	2
2	Physical properties	3
3	Analysis	6
3.1	Determination in air	6
3.2	Determination in water	6
3.3	Determination in soil, sediment and biological material	7
3.4	Determination in the presence of related compounds	7
4	Discharge into the environment during manufacture, processing, usage and waste disposal	8
4.1	Manufacturing processes	8
4.2	Manufacturers and processors, production levels, exports, imports, total consumption	9
4.3	Processing, usage, consumption	10
4.3.1	Processing	11
4.3.2	Usage	11
4.4	Discharge into the atmosphere	12
4.4.1	Discharge during manufacture and processing	12
4.4.2	Discharge during usage	12
4.5	Discharge into the hydrosphere	13
4.5.1	Discharge during manufacture and processing	13
4.5.2	Discharge during usage	14
4.6	Discharge into the geosphere and biosphere	15
4.7	Discharge via waste and waste disposal	15
4.8	Summary of discharge into the environment	15

5	Occurrence in the environment	17
5.1	Atmosphere	17
5.2	Hydrosphere	19
5.2.1	Surface waters	19
5.2.2	Ground water	19
5.2.3	Potable water	20
5.3	Geosphere	20
5.4	Biosphere	20
5.5	Consumer products	20
5.6	Natural sources	21
6	Behaviour in the environment	22
6.1	Transformation, degradation and degradation products	22
6.1.1	Biodegradation	22
6.1.2	Hydrolytic degradation	23
6.1.3	Photochemical degradation	24
6.1.3.1	Atmosphere	24
6.1.3.2	Water	25
6.2	Accumulation	25
6.2.1	Bioaccumulation	25
6.2.2	Geoaccumulation	25
6.3	Distribution and transport processes in and between environmental compartments	26
6.3.1	Henry constant	26
6.3.2	n-Octanol/water partition coefficient	26
6.3.3	Soil sorption coefficients	26
6.4	Fate in the environment	27
7	Ecotoxicology	28
7.1	Effects on aquatic life	28
7.1.1	Micro-organisms	28
7.1.2	Plants	29
7.1.3	Invertebrates	30
7.1.4	Vertebrates	31
7.2	Effects on terrestrial life	32
7.2.1	Micro-organisms	32
7.2.2	Plants	32
7.2.3	Invertebrates	33
7.2.4	Vertebrates	33
7.3	Effects on ecosystems	33

8	Toxicity to mammals	34
8.1	General nature of effects	34
8.2	Mode of action	35
8.3	Metabolism and toxicokinetics	36
8.3.1	Absorption	36
8.3.2	Distribution	37
8.3.3	Biotransformation	38
8.3.4	Elimination	40
8.3.5	Conclusions	41
8.3.6	Metabolism studies in humans	42
8.3.7	Miscellaneous (interaction with 4-methylpyrazole)	43
8.4	Acute toxicity	43
8.5	Compatibility with skin and mucous membranes	44
8.6	Sensitization	45
8.7	Toxicity on repeated administration	45
8.8	Mutagenicity / genotoxicity	47
8.8.1	Investigations involving dioxane	48
8.8.2	Investigations involving 1,4-dioxane-2-one (micro-organisms and mammalian cells <i>in vitro</i>)	52
8.9	Carcinogenicity	53
8.9.1	Carcinogenicity studies	53
8.9.2	Short-term carcinogenicity tests	58
8.9.3	Cell-transformation test	58
8.9.4	Tumour initiation and Promotion studies	59
8.9.5	Conclusions pertaining to low-level exposure	60
8.10	Reproduction toxicity	61
8.11	Effects on the immune system	62
8.12	Miscellaneous effects	63
8.13	Experiences in man	63
9	Substance-specific legal regulations	67
10	Literature	71