



**German Chemical Society**  
**Gesellschaft Deutscher Chemiker**

GDCh-Advisory Committee  
on Existing Chemicals of  
Environmental Relevance (BUA)

**Chloroprene**  
(2-Chloro-1,3-butadiene)  
BUA Report 87  
(June 1991)



S. Hirzel

Wissenschaftliche Verlagsgesellschaft 1995

## GDCh-Advisory Committee on Existing Chemicals of Environmental Relevance (BUA)

### **Chairman:**

Prof. Dr. E. Bayer, Institut für Organische Chemie der Universität Tübingen

### **Members:**

Dr. G. Alfke, Mineralölwirtschaftsverband e. V., Hamburg  
Prof. Dr. K. Ballschmiter, Abteilung Analytische Chemie und Umweltchemie der Universität Ulm  
Dr. B. Broecker, HOECHST AG, Abteilung Umweltchemikalien/Verbrauchersicherheit, Frankfurt am Main  
Prof. Dr. O. Fränze, Geographisches Institut der Universität Kiel  
Prof. Dr. F. H. Frimmel, DVGW-Forschungsstelle am Engler-Bunte-Institut der Universität Karlsruhe  
Prof. Dr. H.-P. Gelbke, BASF AG, Toxikologie, Ludwigshafen a. Rh.  
Prof. Dr. H. Greim, GSF - Institut für Toxikologie, Neuherberg (Vice Chairman)  
Dr. W. G. Haltrich, BASF AG, Emissionsüberwachung und Ökologie, Ludwigshafen a. Rh.  
Dr. H. Jungen, Deutsche Wissenschaftliche Gesellschaft für Erdöl, Erdgas und Kohle e. V., Hamburg  
Dir. und Prof. Dr. D. Kayser, Bundesgesundheitsamt, Berlin  
Prof. Dr. Dr. W. Mücke, Institut für Toxikologie und Umwelthygiene der TU München  
Prof. Dr. P. Müller, Institut für Biogeographie, Universität des Saarlandes, Saarbrücken  
Dir. und Prof. Dr. E. Offhaus, Umweltbundesamt, Berlin  
Dr. R. Ott, Deutsche Shell Chemie GmbH, Eschborn/Ts.  
MinRat Prof. Dr. U. Schlottmann, Bundesministerium für Umwelt, Naturschutz und Reaktorsicherheit, Bonn  
Dr. N. Schön, BAYER AG, Umweltschutz/Produktsicherheit, Leverkusen  
Vizepräsident Dr. A. Troge, Umweltbundesamt, Berlin

### **Guests:**

MinRat Dr. H. W. Kraus, Bundesministerium für Umwelt, Naturschutz und Reaktorsicherheit, Bonn  
Prof. Dr. R. Kümmel, Technische Hochschule Leuna-Merseburg  
Dr. J. Oberhansberg, BG Chemie, Heidelberg  
Dr. H. K. Schäfer, Initiative Umweltrelevante Altstoffe, Frankfurt am Main

### **In collaboration with:**

Priv.-Doz. Dr. J. Ahlers, Umweltbundesamt, Berlin  
Dr. S. Ettel, Institut für Organische Chemie der Universität Tübingen  
Dr. W. Koch, Umweltbundesamt, Berlin  
Frau Dr. I. Mangelsdorf, GSF - Institut für Toxikologie, Neuherberg  
Frau Dr. A. Marschner, Umweltbundesamt, Berlin  
Frau Dr. M. Oeben-Negele, BAYER AG, Toxikologie, Wuppertal  
Frau Dr. H. Sterzl-Eckert, GSF - Institut für Toxikologie, Neuherberg  
Dr. Burkhardt Stock, BAYER AG, Umweltschutz, Leverkusen  
Dr. D. Vogel, Institut für Organische Chemie der Universität Tübingen  
Frau Dipl.-Biol. L. Weis, Institut für Organische Chemie der Universität Tübingen  
Frau Dr. K. Widmann, Institut für Organische Chemie der Universität Tübingen

### **GDCh Office:**

Dr. H. Behret, GDCh, Frankfurt am Main

# **Chloroprene**

(2-Chloro-1,3-butadiene)

BUA Report 87

(June 1991)

edited by the GDCh-Advisory  
Committee on Existing Chemicals  
of Environmental Relevance

Beratergremium für  
Umweltrelevante Altstoffe (BUA)



S. Hirzel

Wissenschaftliche Verlagsgesellschaft 1995

Dr. H. Behret  
Gesellschaft Deutscher Chemiker  
Postfach 90 04 40  
D-60444 Frankfurt am Main

Translated by W. Denman

This book was carefully produced. Nevertheless, authors, editors and publisher do not warrant the information contained therein to be free of errors. Readers are advised to keep in mind that statements, data, illustrations, procedural details or other items may inadvertently be inaccurate.

The use of general descriptive names, trade names, trademarks, etc. in a publication, even if not specifically identified, does not imply that these names are not protected by the relevant law and regulations.

Die Deutsche Bibliothek — CIP-Einheitsaufnahme

**Chloroprene** : (2-Chloro-1,3-butadiene) / GDCh Advisory  
Committee on Existing Chemicals of Environmental Relevance  
(BUA) - (Stand: June 1991) - Stuttgart: Hirzel ; Stuttgart :  
Wiss. Verl.-Ges., 1995  
    (BUA report; 87)  
    Dt. Ausg. u.d.T.: Chloropren  
    ISBN 3-7776-0666-9  
NE: Gesellschaft Deutscher Chemiker / Beratergremium für  
    Umweltrelevante Altstoffe: BUA report

All rights reserved. No part of this publication may be translated, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, microfilming, recording or otherwise, without permission in writing from the publisher.

© 1995 S. Hirzel Verlag, Birkenwaldstraße 44, 70191 Stuttgart

Printed in acid-free and low-chlorine paper.

Printing and binding: Druckhaus Beltz, Hemsbach  
Printed in F.R. Germany

## Foreword

The German Chemicals Act (Chemikaliengesetz - ChemG) of 1980 stipulates that certain existing chemicals must be reported to the competent authority, if they exhibit properties which indicate that they may be hazardous, either alone or in combination with other substances.

In the summer of 1982, an Advisory Committee on Existing Chemicals of Environmental Relevance (BUA) was set up by the German Chemical Society (Gesellschaft Deutscher Chemiker - GDCh). It brings together representatives from the scientific community, the chemical industry and the governmental authorities. This Advisory Committee is responsible for elaborating appropriate solutions for substances of relevance for health and the environment on the basis of voluntary measures. It selects and examines existing chemicals from the aforementioned angles. The testing and evaluation are based on scientific criteria alone.

It was, therefore, necessary to develop priority setting procedures. In a first phase reports were only prepared for priority chemicals. Within the framework of a first priority setting procedure, chemicals were compiled from several priority lists and 135 chemicals were selected for detailed substance reports.

In a second priority setting procedure the survey of the German Chemical Industry Association (VCI) on all substances with a production volume of more than 10 tons per year was used as a starting list. Since this survey covered 4,600 chemicals, BUA decided to process the corresponding list in several stages. The first stage included approx. 1,050 substances with a production volume of more than 1,000 tons per year.

Detailed reports are drawn up on chemicals suspected of having a hazard potential and abridged reports on those presenting only a minor hazard potential, according to the current state of knowledge.

The detailed BUA reports take in both the published literature and data from industry. If data for the evaluation of the chemicals are not available, additional studies are recommended and the results are published as updates to the reports. The reports serve as a basis for the instigation of administrative measures, when there are indications of risks to health or the environment.

Tübingen, May 1993

Ernst Bayer  
Chairman of the Advisory Committee  
on Existing Chemicals  
of Environmental Relevance

## Contents

<b>Summary and conclusions .....</b>	<b>XI</b>
<b>Recommendations .....</b>	<b>XVII</b>
<b>Chloroprene (2-Chloro-1,3-butadiene)</b>	
<b>1. Chemistry of chloroprene.....</b>	<b>1</b>
1.1 Chemical identity .....	1
1.2 Composition of the technical product .....	2
1.3 Chemical properties .....	2
<b>2. Physical properties .....</b>	<b>4</b>
<b>3. Analysis .....</b>	<b>7</b>
3.1 Analysis of chloroprene in products .....	7
3.1.1 Pure chloroprene .....	7
3.1.2 Residual monomer content in polychloroprene .....	7
3.1.3 Chloroprene in polychloroprene-latex .....	8
3.2 Determination in air .....	8
3.3 Determination in water .....	11
3.4 Determination in soil, sediment and biological material .....	12
<b>4. Release into the environment through production, processing, usage and waste disposal .....</b>	<b>13</b>
4.1 Methods of production .....	13
4.1.1 Chloroprene made from acetylene .....	13
4.1.2 Chloroprene made from butadiene .....	13
4.2 Producers and processors, production amounts, export, import, total consumption .....	14
4.3 Processing, use, consumption amounts .....	15
4.3.1 Processing .....	15
4.3.2 Use .....	16

4.4	Release into the atmosphere .....	17
4.4.1	Release through production and processing .....	17
4.4.2	Release through use of the following products .....	18
4.5	Release into the hydrosphere .....	19
4.5.1	Release through production and processing .....	19
4.5.2	Release through use of the following products .....	19
4.6	Release into the geo- and biosphere .....	19
4.7	Release through waste and its treatment .....	20
4.7.1	Formation of chloroprene through thermal processes.....	21
4.8	Balance of the releases into the environment .....	23
<b>5.</b>	<b>Occurrence in the environment .....</b>	<b>24</b>
5.1	Atmosphere .....	24
5.1.1	Surrounding air .....	24
5.1.2	Working place .....	25
5.2	Hydrosphere .....	27
5.3	Geosphere .....	28
5.4	Biosphere .....	28
5.5	Natural sources .....	28
<b>6.</b>	<b>Behaviour in the environment .....</b>	<b>29</b>
6.1	Transformation, degradation and degradation products.....	29
6.1.1	Biological degradation .....	29
6.1.2	Hydrolytic degradation .....	29
6.1.3	Photochemical degradation .....	29
6.1.3.1	Photooxidative degradation under Tropospheric conditions .....	29
6.1.3.2	Photochemical degradation in water .....	30
6.2	Accumulation .....	31
6.2.1	Bioaccumulation .....	31
6.2.2	Geoaccumulation .....	31
6.3	Partitioning behaviour and transportation processes in and among environmental compartments .....	31
6.3.1	Henry Constant .....	32
6.3.2	n-octanol/water distribution coefficient .....	32
6.3.3	Soil sorption coefficient .....	33
6.4	Environmental fate .....	33

<b>7.</b>	<b>Ecotoxicology</b>	<b>34</b>
7.1	Effect on aquatic life forms	34
7.1.1	Microorganisms	34
7.1.2	Plants	34
7.1.3	Invertebrates	34
7.1.4	Vertebrates	36
7.2	Effect on terrestrial life forms	36
7.3	Effect on ecosystems	36
<b>8.</b>	<b>Toxicity on warm-blooded animals</b>	<b>37</b>
8.1	General type of effect	37
8.2	Mechanism of effect	38
8.3	Metabolism, toxicokinetics	39
8.4	Acute toxicity	40
8.5	Skin and mucous membrane compatibility	47
8.6	Sensitisation effect	47
8.7	Subacute, subchronic and chronic toxicity	47
8.8	Mutagenicity	70
8.8.1	Mutagenicity, <i>-in vitro</i>	70
8.8.2	Mutagenicity, <i>-in vivo</i>	74
8.9	Carcinogenicity	80
8.9.1	<i>in vitro</i> research	80
8.9.2	Short-term carcinogenicity tests	80
8.9.3	Long-term studies	81
8.10	Reproduction toxicity	87
8.10.	Fertility	87
8.10.2	Embryo toxicity/teratogenicity	92
8.10.3	Multigeneration study	92
8. 11	Other effects	98
8.12	Experience with humans	99
8.12.1	Acute poisoning	99
8.12.2	Chronic poisoning	99
8.12.3	Epidemiological data	101
8.12.3.1	Investigations concerning carcinogenicity	101
8.12.3.2	Diverse investigations	105

<b>9.</b>	<b>Substance-specific regulations</b>	<b>110</b>
9.1	Dangerous Substances Act	110
9.1.1	EC Dangerous Substance Guidelines	110
9.2	Maximum Working Place Concentration (MAK = German TLV)	111
9.3	Technical Guidelines on Maintaining Clean Air (TA-Luft)	112
9.4	Water Hazard Class	112
9.5	Dangerous Goods Act (Transport Regulations)	113
9.6	Waste Disposal Law	113
<b>10.</b>	<b>Literature</b>	<b>115</b>